Neuroscience Letters, 231 (1997) 183–185
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abbruzzese, M., Minatel, C., Faga, D., Favale, E., Testing for pre-synaptic and post-synaptic changes in the soleus H reflex pathway following selective muscle vibration in humans, 99
Abe, K., Hayashi, T., Itoyama, Y., Amelioration of brain edema by topical application of glial cell line-derived neurotrophic factor in reperfused rat brain, 37
Ableitner, A.M., see Ghorbel, M., 127
Angulo, J.A., see Datta, U., 29
Antkowiak, B., Hentschke, H., Cellular mechanisms of gamma rhythms in rat neocortical brain slices probed by the volatile anaesthetic isoflurane, 87
Avoli, M., see Zona, C., 123

Barrenechea, C., see Insausti, A.M., 179
Bauer, J., see Heese, K., 83
Benussi, L., see Gasparini, L., 113
Bianchetti, A., see Gasparini, L., 113
Binetti, G., see Gasparini, L., 113
Blottner, D., see Schoser, B.G.H., 163
Bourdon, L., see Canini, F., 67
Brancorsini, S., see Palumbo, B., 59
Buguet, A., see Canini, F., 67
Büsselberg, D., see Kirschstein, T., 33

Camarena, B., see Cruz, C., 1
Canini, F., Bourdon, L., Cespuglio, R., Buguet, A., Voltametric assessment of brain nitric oxide during heatstroke in rats, 67
Cardinali, L., see Palumbo, B., 59
Cassel, G.E., see Jacobsson, S.O.P., 155
Cassel, J.-C., see Erb, C., 5
Castellani, R.J., Perry, G., Harris, P.L.R., Monnier, V.M., Cohen, M.L., Smith, M.A., Advanced glycation modification of Rosenthal fibers in patients with Alexander disease, 79
Cespuglio, R., see Canini, F., 67
Chang, C.-C., see Chiou, L.-C., 171
Chen, C., see Hoang, L.M., 25
Chien, P.-Y., see Farkas, R.H., 21
Chiou, L.-C., Ling, J.-Y., Chang, C.-C., Chinese herb constituent - eudesmol alleviated the electroshock seizures in mice and electrographic seizures in rat hippocampal slices, 171
Chun, S.W., see Kim, M.S., 147
Ciotti, M.T., see Zona, C., 123
Cohen, M.L., see Castellani, R.J., 79
Cruz, C., Camarena, B., King, N., Páez, F., Sidenberg, D., de la Fuente, J.R., Nicolini, H., Increased prevalence of the seven-repeat variant of the dopamine D4 receptor gene in patients with obsessive-compulsive disorder with tics, 1
Curti, D., see Gasparini, L., 113

Datta, U., Noailles, P.-A.H., Kraft, M., Zhang, Y., Angulo, J.A., Concurrent elevation of the levels of expression of striatal preproenkephalin and preprodynorphin mRNA in the rat brain by chronic treatment with caffeine, 29
de la Fuente, J.R., see Cruz, C., 1
Deboer, T., Tobler, I., Chronic administration of melatonin reduces REM sleep in the Djungarian hamster (*Phodopus sungorus*), 118
Demeneix, B.A., see Ghorbel, M., 127
Doutheil, J., see Gissel, C., 75
Duong, T., see Moga, M.M., 9

Ebadi, M., see El Refaey, H., 131
El Refaey, H., Ebadi, M., Kuszynski, C.A., Sweeney, J., Hamada, F.M., Hamed, A., Identification of metallothionein receptors in human astrocytes, 131
Erb, C., Klein, J., Köppen, A., Löffelholz, K., Jeltsch, H., Cassel, J.-C., Modulation of hippocampal acetylcholine release after fimbria-fornix lesions and septal transplantation in rats, 5

Faga, D., see Abbruzzese, M., 99
Farkas, R.H., Chien, P.-Y., Nakajima, S., Nakajima, Y., Neurotensin and dopamine D2 activation oppositely regulate the same K^+ conductance in rat midbrain dopaminergic neurons, 21
Favale, E., see Abbruzzese, M., 99
Felipo, V., see Insausti, A.M., 179
Ferriero, D.M., see Mischel, R.E., 17
Fiebich, B.L., see Heese, K., 83
Fujinaga, M., Scott, J.C., Gene expression of catecholamine synthesizing enzymes and β adrenoceptor subtypes during rat embryogenesis, 108

Garzino, A., see Panzica, G.C., 151
Gasparini, L., Racchi, M., Benussi, L., Curti, D., Binetti, G., Bianchetti, A., Trabucchi, M., Govoni, S., Effect of energy shortage and oxidative stress on amyloid precursor protein metabolism in COS cells, 113
Gaztelu, J.M., see Insausti, A.M., 179
Ghorbel, M., Seugnet, I., Ableitner, A.M., Hassan, A., Demeneix, B.A., T_3 treatment increases mitosis, then *bax* expression and apoptosis in the optic lobe of the chick embryo, 127
Gissel, C., Doutheil, J., Paschen, W., Activation of heme oxygenase-1 expression by disturbance of endoplasmic reticulum calcium homeostasis in rat neuronal cell culture, 75
Goldstein, J., López-Costa, J.J., Saavedra, J.P., Changes in NADPH diaphorase reactivity and neuronal nitric oxide synthase in the rat retina following constant illumination, 45
Gonzalo, L.M., see Insausti, A.M., 179
Govoni, S., see Gasparini, L., 113
Grooms, S.Y., Jones, L.S., RGDS tetrapeptide and hippocampal in vitro kindling in rats: evidence for integrin-mediated physiological stability, 139
Guenther, E., Hewig, B., Zrenner, E., Kohler, K., Angiotensin II-induced inhibition and facilitation of calcium current subtypes in rat retinal ganglion cells, 71

Hamada, F.M., see El Refaey, H., 131
Hamed, A., see El Refaey, H., 131
Harris, P.L.R., see Castellani, R.J., 79
Hassan, A., see Ghorbel, M., 127
Hayashi, T., see Abe, K., 37
Heese, K., Fiebich, B.L., Bauer, J., Otten, U., Nerve growth factor (NGF)

PII S0304-3940(97)00591-0

expression in rat microglia is induced by adenosine A_{2a}-receptors, 83
Helisalmi, S., Mannermaa, A., Lehtovirta, M., Ryynänen, M., Riekkinen Sr., P., Soininen, H., No association between α_1-antichymotrypsin polymorphism, apolipoprotein E and patients with late-onset Alzheimer's disease, 56
Hentschke, H., see Antkowiak, B., 87
Hewig, B., see Guenther, E., 71
Hiramatsu, T., see Nagao, S., 41
Hoang, L.M., Chen, C., Mathers, D.A., Lipopolysaccharide rapidly activates K^+ channels at the intracellular membrane face of rat cerebral artery smooth muscle cells, 25

Ichinowatari, N., see Kawamoto, M., 49
Igata-Yi, R., see Kimura, T., 53
Insausti, A.M., Gaztelu, J.M., Gonzalo, L.M., Romero-Vives, M., Barrenechea, C., Felipo, V., Insausti, R., Diet induced hyperammonemia decreases neuronal nuclear size in rat entorhinal cortex, 179
Insausti, R., see Insausti, A.M., 179
Itoyama, Y., see Abe, K., 37

Jacobsson, S.O.P., Sellström, Å., Persson, S.-Å., Cassel, G.E., Correlation between cortical EEG and striatal microdialysis in soman-intoxicated rats, 155
Jeltsch, H., see Erb, C., 5
Jin, B.K., see Kim, M.S., 147
Johannes, S., Kube, C., Wieringa, B.M., Matzke, M., Münte, T.F., Brain potentials and time estimation in humans, 63
Johnson, S.W., Seutin, V., Bicuculline methiodide potentiates NMDA-dependent burst firing in rat dopamine neurons by blocking apamin-sensitive Ca^{2+}-activated K^+ currents, 13
Jones, L.S., see Grooms, S.Y., 139

Kanaki, K., Kawashima, S., Kashiwayanagi, M., Kurihara, K., Carnosine-induced inward currents in rat olfactory bulb neurons in cultured slices, 167
Kashiwayanagi, M., see Kanaki, K., 167
Kawamoto, M., Yoshino, A., Suzuki, A., Ichinowatari, N., Human brain potentials observed using the line-motion method: the neurophysiological correlates of visual illusory motion perception, 49
Kawashima, S., see Kanaki, K., 167
Kim, J.H., see Kim, M.S., 147
Kim, M.S., Jin, B.K., Chun, S.W., Lee, M.Y., Lee, S.H., Kim, J.H., Park, B.R., Effect of MK801 on cFos-like protein expression in the medial vestibular nucleus at early stage of vestibular compensation in uvulonodullectomized rats, 147
Kim, Y.S., see Mischel, R.E., 17
Kimura, T., Yokota, S., Igata-Yi, R., Shono, M., Takamatsu, J., Miyakawa, T., Apolipoprotein E $\epsilon 2$ allele and early onset schizophrenia, 53
King, N., see Cruz, C., 1
Kirschstein, T., Büsselberg, D., Treede, R.-D., Coexpression of heat-evoked and capsaicin-evoked inward currents in acutely dissociated rat dorsal root ganglion neurons, 33
Kitazawa, H., see Nagao, S., 41
Klein, J., see Erb, C., 5
Kodsi, M.H., Swerdlow, N.R., Mitochondrial toxin 3-nitropropionic acid produces startle reflex abnormalities and striatal damage in rats that model some features of Huntington's disease, 103
Kohler, K., see Guenther, E., 71
Köppen, A., see Erb, C., 5
Kraft, M., see Datta, U., 29
Kube, C., see Johannes, S., 63
Kumar, A., Mehta, K.D., $p21^{ras}$ farnesyltransferase α- and β-subunits are phosphorylated in PC-12 cells: TGF-β signaling pathway independent phosphorylation, 143
Kurihara, K., see Kanaki, K., 167
Kuszynski, C.A., see El Refaey, H., 131

Lee, M.Y., see Kim, M.S., 147
Lee, S.H., see Kim, M.S., 147
Lehtovirta, M., see Helisalmi, S., 56
Ling, J.-Y., see Chiou, L.-C., 171
Löffelholz, K., see Erb, C., 5
López-Costa, J.J., see Goldstein, J., 45
Lück, G., see Schoser, B.G.H., 163

Mannermaa, A., see Helisalmi, S., 56
Mathers, D.A., see Hoang, L.M., 25
Matzke, M., see Johannes, S., 63
McIntosh, T.K., see Smith, D.H., 135
Mehta, K.D., see Kumar, A., 143
Minatel, C., see Abbruzzese, M., 99
Mischel, R.E., Kim, Y.S., Sheldon, R.A., Ferriero, D.M., Hydrogen peroxide is selectively toxic to immature murine neurons in vitro, 17
Miyakawa, T., see Kimura, T., 53
Moga, M.M., Duong, T., p75 Neurotrophin receptor immunoreactivity in the aged human hypothalamus, 9
Monnier, V.M., see Castellani, R.J., 79
Münte, T.F., see Johannes, S., 63

Nagao, S., Kitazawa, H., Osanai, R., Hiramatsu, T., Acute effects of tetrahydrobiopterin on the dynamic characteristics and adaptability of vestibulo-ocular reflex in normal and flocculus lesioned rabbits, 41
Nakajima, S., see Farkas, R.H., 21
Nakajima, Y., see Farkas, R.H., 21
Nakashima, K., see Song, H., 175
Nicolini, H., see Cruz, C., 1
Noailles, P.-A.H., see Datta, U., 29
Nocentini, G., see Palumbo, B., 59
Noma, A., see Song, H., 175

Osanai, R., see Nagao, S., 41
Otten, U., see Heese, K., 83

Páez, F., see Cruz, C., 1
Palumbo, B., Parnetti, L., Nocentini, G., Cardinali, L., Brancorsini, S., Riccardi, C., Senin, U., Apolipoprotein-E genotype in normal aging, age-associated memory impairment, Alzheimer's disease and vascular dementia patients, 59
Panzica, G.C., Garzino, A., Anatomically specific colocalization of NADPH-diaphorase and choline acetyltransferase in the quail brainstem, 151
Park, B.R., see Kim, M.S., 147
Parnetti, L., see Palumbo, B., 59
Paschen, W., see Gissel, C., 75
Perri, B.R., see Smith, D.H., 135
Perry, G., see Castellani, R.J., 79
Persson, S.-Å., see Jacobsson, S.O.P., 155
Pickard, G.E., Rea, M.A., TFMPP, a $5HT_{1B}$ receptor agonist, inhibits light-induced phase shifts of the circadian activity rhythm and c-Fos

expression in the mouse suprachiasmatic nucleus, 95
Racchi, M., see Gasparini, L., 113
Raghupathi, R., see Smith, D.H., 135
Rea, M.A., see Pickard, G.E., 95
Rea, M.A., see Weber, E.T., 159
Riccardi, C., see Palumbo, B., 59
Riekkinen Sr., P., see Helisalmi, S., 56
Romero-Vives, M., see Insausti, A.M., 179
Ryynänen, M., see Helisalmi, S., 56

Saatman, K.E., see Smith, D.H., 135
Saavedra, J.P., see Goldstein, J., 45
Saito, K., see Song, H., 175
Schoser, B.G.H., Lück, G., Blottner, D., Partial loss of NADPH-diaphorase/nitric oxide synthase-complex in amyotrophic lateral sclerosis and human type-II myofiber atrophy, 163
Scott, J.C., see Fujinaga, M., 108
Seishima, M., see Song, H., 175
Sellström, Å., see Jacobsson, S.O.P., 155
Senin, U., see Palumbo, B., 59
Seugnet, I., see Ghorbel, M., 127
Seutin, V., see Johnson, S.W., 13
Sheldon, R.A., see Mischel, R.E., 17
Shono, M., see Kimura, T., 53
Sidenberg, D., see Cruz, C., 1
Smith, D.H., Perri, B.R., Raghupathi, R., Saatman, K.E., McIntosh, T.K., Remacemide hydrochloride reduces cortical lesion volume following brain trauma in the rat, 135
Smith, M.A., see Castellani, R.J., 79
Soininen, H., see Helisalmi, S., 56
Song, H., Saito, K., Seishima, M., Noma, A., Urakami, K., Nakashima, K., Cerebrospinal fluid apo E and apo A-I concentrations in early- and late-onset Alzheimer's disease, 175
Suzuki, A., see Kawamoto, M., 49
Sweeney, J., see El Refaey, H., 131
Swerdlow, N.R., see Kodsi, M.H., 103
Szczepanik, A.M., Wilmot, C.A., Effects of ritanserin on haloperidol-induced dopamine (D_2) receptor up-regulation in the rat, 91

Takamatsu, J., see Kimura, T., 53
Tobler, I., see Deboer, T., 118
Trabucchi, M., see Gasparini, L., 113
Treede, R.-D., see Kirschstein, T., 33

Urakami, K., see Song, H., 175

Weber, E.T., Rea, M.A., Neuropeptide Y blocks light-induced phase advances but not delays of the circadian activity rhythm in hamsters, 159
Wieringa, B.M., see Johannes, S., 63
Wilmot, C.A., see Szczepanik, A.M., 91

Yokota, S., see Kimura, T., 53
Yoshino, A., see Kawamoto, M., 49

Zhang, Y., see Datta, U., 29
Zona, C., Ciotti, M.T., Avoli, M., Topiramate attenuates voltage-gated sodium currents in rat cerebellar granule cells, 123
Zrenner, E., see Guenther, E., 71